



Cover image: Proliferation of synovial cells and inflammatory cell infiltration in the joints of recipient mice injected with heat-aggregated ovalbumin plus lipopolysaccharide. See p1059.

Editor

Tore K Kvien

Associate Editors

Francis Berenbaum Hans Bijlsma **Dimitrios Boumpas** Gerd Burmester Mary Crow lain McInnes

Editorial office

Annals of the Rheumatic Diseases BMJ Publishing Group Ltd **BMA** House Tavistock Square London WCIH 9JR, UK

T: +44 (0)20 7383 6250 F: +44 (0)20 7383 6668

E: ard@bmj.com

ISSN: 0003-4967 (print) ISSN: 1468-2060 (online) **Impact Factor:** 6.411

Disclaimer: ARD is owned and published by BMJ Publishing Group Ltd (a wholly owned subsidiary of the British Medical Association) and the European League Against Rheumatism. The owners grant editorial freedom to the Editor of ARD. ARD follows guidelines on editorial independence produced by the World Association of Medical Editors and the code on good publication practice of the Committee on Publication Ethics.

ARD is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors' institutions. the BMJ Publishing Group, the European League Against Rheumatism or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group shall not be liable for any loss, injury or damage resulting from the use of ARD or any information in it whether based on contract, tort, or otherwise. Readers are advised to verify any information they choose to rely on.

Copyright: © 2009 BMJ Publishing Group and European League Against Rheumatism. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without prior permission

ARD is published by BMJ Publishing Group Ltd, typeset by The Charlesworth Group and printed in the UK on acid-free paper from sustainable forests by Cambrian Printers Limited, Aberystwyth, UK

Annals of the Rheumatic Diseases (USPS No: 002-152) is published monthly by BMJ Publishing Group and distributed in the USA by SPP, 75 Aberdeen Road, Emigsville, PA 17318, USA. Periodicals postage paid at Emigsville, PA, USA. POSTMASTER: send address changes to Annals of the Rheumatic Diseases, PO Box 437, Emigsville, PA 17318-0437, USA.

Editorials

- **765** Diagnosing axial spondyloarthropathy. The new Assessment in SpondyloArthritis international Society criteria: MRI entering centre stage A N Bennett, H Marzo-Ortega, P Emery, D McGonagle, on behalf of the Leeds Spondyloarthropathy Group
- New tumour necrosis factor inhibitors for rheumatoid arthritis: are there benefits from extending choice? D L Scott, A Cope

Clinical and epidemiological research

- 770 The development of Assessment of SpondyloArthritis international Society classification criteria for axial spondyloarthritis (part I): classification of paper patients by expert opinion including uncertainty appraisal M Rudwaleit, R Landewé, D van der Heijde, J Listing, J Brandt, J Braun, R Burgos-Vargas, E Collantes-Estevez, J Davis, B Dijkmans, M Dougados, P Emery, I E van der Horst-Bruinsma, R Inman, M A Khan, M Leirisalo-Repo, S van der Linden, W P Maksymowych, H Mielants, I Olivieri, R Sturrock, K de Vlam, J Sieper
- The development of Assessment of SpondyloArthritis international Society classification criteria for axial spondyloarthritis (part II): validation and final selection M Rudwaleit, D van der Heijde, R Landewé, I Listing, N Akkoc, I Brandt, I Braun, C T Chou, E Collantes-Estevez, M Dougados, F Huang, J Gu, M A Khan, Y Kirazli, W P Maksymowych, H Mielants, I J Sørensen, S Ozgocmen, E Roussou, R Valle-Oñate, U Weber, J Wei, J Sieper
- New criteria for inflammatory back pain in patients with chronic back pain: a real patient exercise by experts from the Assessment of SpondyloArthritis international Society (ASAS) I Sieper, D van der Heijde, R Landewé, I Brandt, R Burgos-Vagas, E Collantes-Estevez, B Dijkmans, M Dougados, M A Khan, M Leirisalo-Repo, S van der Linden, W P Maksymowych, H Mielants, I Olivieri, M Rudwaleit
- Golimumab, a human antibody to tumour necrosis 789
 - factor α given by monthly subcutaneous injections, in active rheumatoid arthritis despite methotrexate therapy: the GO-FORWARD Study E C Keystone, M C Genovese, L Klareskog,

E C Hsia, S T Hall, P C Miranda, J Pazdur, S-C Bae, W Palmer, J Zrubek, M Wiekowski, S Visvanathan, Z Wu, M U Rahman

797 Efficacy and safety of certolizumab pegol plus methotrexate in active rheumatoid arthritis: the RAPID 2 study. A randomised controlled trial

J Smolen, R B Landewé, P Mease, J Brzezicki, D Mason, K Luijtens, R F van Vollenhoven, A Kavanaugh, M Schiff, G R Burmester, V Strand, J Vencovský, D van der Heijde

Efficacy and safety of certolizumab pegol monotherapy every 4 weeks in patients with rheumatoid arthritis failing previous diseasemodifying antirheumatic therapy: the

H-P Brezinschek, A Innes, V Strand

FAST4WARD study R Fleischmann, J Vencovsky, R F van Vollenhoven, D Borenstein, J Box, G Coteur, N Goel,

- **812** Impaired memory and learning abilities in patients with systemic lupus erythematosus as measured by the Rey Auditory Verbal Learning Test D Paran, I Litinsky, I Shapira-Lichter, S Navon, T Hendler, D Caspi, E Vakil
- Vitamin D and chronic widespread pain in a white middle-aged British population: evidence from a cross-sectional population survey K Atherton, D J Berry, T Parsons, G J Macfarlane, C Power, E Hyppönen
- 823 Radiographic changes in rheumatoid arthritis patients attaining different disease activity states with methotrexate monotherapy and infliximab plus methotrexate: the impacts of remission and tumour necrosis factor blockade I S Smolen, C Han, D M F M van der Heijde, P Emery, J M Bathon, E Keystone, R N Maini, J R Kalden, D Aletaha, D Baker, J Han, M Bala, E W St Clair, for the Active-Controlled Study of Patients Receiving Infliximab for the Treatment
- Disease progression in mothers of children enrolled in the Research Registry for Neonatal Lupus

Study Group

T L Rivera, P M Izmirly, B K Birnbaum, P Byrne, I B Brauth, M Katholi, M Y Kim, I Fischer, R M Clancy, I P Buyon

of Rheumatoid Arthritis of Early Onset (ASPIRE)

Increased serum levels of B cell activating factor (BAFF) in subsets of patients with idiopathic inflammatory myopathies

> O Kryštůfková, T Vallerskog, S Barbasso Helmers, H Mann, I Půtová, J Běláček, V Malmström, C Trollmo, I Vencovský, I E Lundberg

MORE CONTENTS ▶



This article has been chosen by the editor to be of special interest or importance and is freely available online.



Articles carrying the Unlocked Logo are freely available online under the BMJ Journals unlocked scheme. See http://ard.bmj.com/info/unlocked.dtl



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org.uk





- Evaluating guidelines on continuation of antitumour necrosis factor treatment after 3 months: clinical effectiveness and costs of observed care and different alternative strategies W Kievit, J Fransen, E M Adang, H H Kuper, T L Jansen, C M A De Gendt, D J R A M De Rooij, H L M Brus,
- Bone marrow lesions predict increase in knee cartilage defects and loss of cartilage volume in middle-aged women without knee pain over

MAFJ van de Laar, PCLM Van Riel

A E Wluka, F Hanna, M Davies-Tuck, Y Wang, R J Bell, S R Davis, J Adams, F M Cicuttini

Geographical variation of disease manifestations in systemic sclerosis: a report from the EULAR Scleroderma Trials and Research (EUSTAR) group database

> U A Walker, A Tyndall, L Czirják, C P Denton, D Farge-Bancel, O Kowal-Bielecka. U Müller-Ladner, M Matucci-Cerinic, and the EUSTAR co-authors

- Physical function in ankylosing spondylitis is independently determined by both disease activity and radiographic damage of the spine R Landewé, M Dougados, H Mielants, H van der Tempel, D van der Heijde
- Anti-inflammatory therapy with tumour necrosis factor alpha inhibitors improves high-density lipoprotein cholesterol antioxidative capacity in rheumatoid arthritis patients C Popa, L J H van Tits, P Barrera, H L M Lemmers, F H J van den Hoogen, PLCM van Riel, TRD J Radstake, MG Netea, M Roest, A F H Stalenhoef
- **873** Wegener's granulomatosis patients show an adequate antibody response to influenza vaccination

A Holvast, C A Stegeman, C A Benne, A Huckriede, J C Wilschut, A M Palache, C G M Kallenberg, M Bijl

879 Responsiveness of the International Classification of Functioning, Disability and Health (ICF) Core Set for rheumatoid arthritis

> T Uhlig, R Moe, S Reinsberg, T K Kvien, A Cieza, G Stucki

Evaluation of work-related psychosocial factors and regional musculoskeletal pain: results from a **EULAR Task Force**

> G J Macfarlane, N Pallewatte, P Paudyal, F M Blyth, D Coggon, G Crombez, S Linton, P Leino-Arjas, A J Silman, R J Smeets, D van der Windt

A randomised controlled trial on the efficacy and tolerability with dose escalation of allopurinol 300-600 mg/day versus benzbromarone 100-200 mg/day in patients with gout M K Reinders, C Haagsma, T L Th A Jansen, E N van Roon, J Delsing, M A F J van de Laar,

J R B J Brouwers

- **898** Influence of peptidylarginine deiminase type 4 genotype and shared epitope on clinical characteristics and autoantibody profile of rheumatoid arthritis B Hoppe, T Häupl, K Egerer, R Gruber, H Kiesewetter, A Salama, G R Burmester, T Dörner
- The natural history of bone marrow lesions in community-based adults with no clinical knee osteoarthritis M L Davies-Tuck, A E Wluka, Y Wang,
 - D R English, G G Giles, F Cicuttini
- Obesity and adiposity are associated with the rate of patella cartilage volume loss over 2 years in adults without knee osteoarthritis A J Teichtahl, A E Wluka, Y Wang, F Hanna, D R English, G G Giles, F M Cicuttini
- Drug-free remission, functioning and radiographic 914 damage after 4 years of response-driven treatment in patients with recent-onset rheumatoid arthritis

S M van der Kooij, Y P M Goekoop-Ruiterman, J K de Vries-Bouwstra, M Güler-Yüksel, A H Zwinderman, P J S M Kerstens, PAH M van der Lubbe, WM de Beus, B A M Grillet, H K Ronday, T W J Huizinga, F C Breedveld, B A C Dijkmans, C F Allaart

- 922 Adalimumab effectiveness for the treatment of ankylosing spondylitis is maintained for up to
- 2 years: long-term results from the ATLAS trial D van der Heijde, M H Schiff, J Sieper, A J Kivitz, R L Wong, H Kupper, B A C Dijkmans, P J Mease, J C Davis Jr, for the ATLAS Study Group
- Impact of adalimumab on work participation in rheumatoid arthritis: comparison of an open-label extension study and a registry-based control group M T Halpern, M A Cifaldi, T K Kvien
- 938 Protective effects of licofelone, a 5-lipoxygenase and cyclo-oxygenase inhibitor, versus naproxen on cartilage loss in knee osteoarthritis: a first multicentre clinical trial using quantitative MRI J-P Raynauld, J Martel-Pelletier, P Bias, S Laufer, B Haraoui, D Choquette, A D Beaulieu, F Abram, M Dorais, É Vignon, J-P Pelletier, and the Canadian Licofelone Study Group
- 948 Development and validation of the Spondyloarthritis Research Consortium of Canada (SPARCC) Enthesitis Index W P Maksymowych, C Mallon, S Morrow, K Shojania, W P Olszynski, R L Wong, J Sampalis, B Conner-Spady
- **954** Validation of the 28-ioint Disease Activity Score (DAS28) and European League Against Rheumatism response criteria based on Creactive protein against disease progression in patients with rheumatoid arthritis, and comparison with the DAS28 based on erythrocyte sedimentation rate G Wells, J-C Becker, J Teng, M Dougados,

M Schiff, I Smolen, D Aletaha, P L C M van Riel

- 961 Systemic sclerosis and its pulmonary complications in The Netherlands: an epidemiological study
 - M C Vonk, B Broers, Y F Heijdra, E Ton, R Snijder, A P J van Dijk, J M van Laar, H Bootsma, P Th W van Hal, F H J van den Hoogen, P L A van Daele
- 966 Thoracoabdominal motion in ankylosing spondylitis: association with standardised clinical measures and response to therapy G E Tzelepis, G Kalliakosta, A G Tzioufas, P P Sfikakis, C Mandros, K A Boki, C Roussos, H M Moutsopoulos
- **972** Test–retest reliability of disease activity core set measures and indices in rheumatoid arthritis *T Uhlig, T K Kvien, T Pincus*

Basic and translational research

- 976 $Msp90\beta$ and $p130^{cas}$: novel regulatory factors of MMP-13 expression in human osteoarthritic chondrocytes
 - Z Fan, G Tardif, D Hum, N Duval, J-P Pelletier, J Martel-Pelletier
- 983 Thymic function in juvenile idiopathic arthritis

 A R Lorenzi, T A Morgan, A Anderson, J Catterall,

 A M Patterson, H E Foster, J D Isaacs
- 991 Severe alterations in expression and localisation of α6β4 integrin in salivary gland acini from patients with Sjögren syndrome
 J Velozo, S Aguilera, C Alliende, P Ewert, C Molina, P Pérez, L Leyton, A Quest, M Brito, S González, C Leyton, M Hermoso, R Romo, M-J González
- 997 Serum levels of tumour necrosis factor family members a proliferation-inducing ligand (APRIL) and B lymphocyte stimulator (BLyS) are inversely correlated in systemic lupus erythematosus J Morel, C Roubille, L Planelles, C Rocha, L Fernandez, C Lukas, M Hahne, B Combe
- 1003 Evidence for a distinctive pattern of bone formation in enthesophytes M Benjamin, H Toumi, D Suzuki, K Hayashi, D McGonagle
- **1011** Residual inflammation after rituximab treatment is associated with sustained synovial plasma cell infiltration and enhanced B cell repopulation Y K O Teng, E W N Levarht, R E M Toes, T W J Huizinga, J M van Laar
- 1017 Testing the druggable endothelial differentiation gene 2 knee osteoarthritis genetic factor for replication in a wide range of sample collections R Dieguez-Gonzalez, M Calaza, D Shi, I Meulenbelt, J Loughlin, A Tsezou, J Dai, K N Malizos, E P Slagboom, M Kloppenburg, K Chapman, Q Jiang, D Kremer, J J Gomez-Reino, N Nakajima, S Ikegawa, A Gonzalez
- 1022 Exposure to nuclear antigens contributes to the induction of humoral autoimmunity during tumour necrosis factor alpha blockade T Cantaert, L De Rycke, C P Mavragani,

I Cantaert, L De Rycke, C P Mavragant, C A Wijbrandts, T B Niewold, T Niers, B Vandooren, E M Veys, D Richel, P P Tak, M K Crow, D Baeten **1030** Complement activation in patients with primary antiphospholipid syndrome

K Oku, T Atsumi, M Bohgaki, O Amengual,

Volume 68 Number 6

- H Kataoka, T Horita, S Yasuda, T Koike
- 1036 Regulation of CXCL16 expression and secretion by myeloid cells is not altered in rheumatoid arthritis A W T van Lieshout, R van der Voort, L W J Toonen, S F G van Helden, C G Figdor, P L C M van Riel, T R D J Radstake, G J Adema
- 1044 Melanoma inhibitory activity, a biomarker related to chondrocyte anabolism, is reversibly suppressed by proinflammatory cytokines in rheumatoid arthritis

B Vandooren, T Cantaert, M-J van Lierop, E Bos, L De Rycke, E M Veys, F De Keyser, B Bresnihan, F P Luyten, P C Verdonk, P P Tak, A H Boots, D Baeten

- 1051 Hyaluronan inhibits expression of ADAMTS4 (aggrecanase-1) in human osteoarthritic chondrocytes
 - T Yatabe, S Mochizuki, M Takizawa, M Chijiiwa, A Okada, T Kimura, Y Fujita, H Matsumoto, Y Toyama, Y Okada
- 1059 Dissecting the contribution of innate and antigen-specific pathways to the breach of self-tolerance observed in a murine model of arthritis M B Nickdel, P Conigliaro, G Valesini, S Hutchison, R Benson, R V Bundick, A J Leishman, I B McInnes, J M Brewer, P Garside
- 1067 Severe impaired respiratory ciliary function in Wegener granulomatosis

 S Ullrich, H Gustke, P Lamprecht, W L Gross, U Schumacher, P Ambrosch, M Laudien

Letters

- 1072 Tendency towards erosive regression on magnetic resonance imaging at 12 months in rheumatoid arthritis patients treated with rituximab

 U Møller Døhn, M Østergaard, P Bird, A Boonen,
 I S Johansen, J M Møller, M S Hansen
- 1074 Diagnostic value of procalcitonin for differentiation between bacterial infection and non-infectious inflammation in febrile patients with active adultonset Still's disease D-Y Chen, Y-M Chen, W-L Ho, H-H Chen, G-H Shen, J-L Lan
- 1075 Rituximab fixed retreatment versus on-demand retreatment in refractory rheumatoid arthritis: comparison of two B cell depleting treatment strategies
 - Y K O Teng, J Tekstra, F C Breedveld, F Lafeber, J W J Bijlsma, J M van Laar
- 1077 Refractory severe connective tissue disease thrombocytopenia: is rituximab treatment effective and safe?

 W. I. Zheng, Y. Zhang, O. Wang, D. Yu, Y. E. Zen,

 $\label{eq:word_equality} W\ J\ Zheng,\ X\ Zhang,\ Q\ Wang,\ D\ Xu,\ X\ F\ Zeng,\\ F\ C\ Zhang$

1078 Erosive osteoarthritis of the hand: clinical experience with anakinra *L. Bacconnier, C. Jorgensen, S. Fabre*

Miscellaneous

1080 Corrections